

Expected Defects

for 2 violins and live electronics

Poumpak Charuprakorn (2023)

ca. 40

8/4 A

7/4

Violin I

Violin II

Electronics

niente *mf* *p*

(The electronics part will delay the sounds and slowly pan clockwise/anti-clockwise around the audience.)

(5% chance that a defect, a quick spin, might occur)

3 6/4

Vln. I

Vln. II

Elec.

mf

5 5/4 3/4 7/4

Vln. I

Vln. II

Elec.

fp *mf* *p sub.*

(Faster spatialisation if violins are louder)

8 **8/4** **2/4** **4/4**

Vln. I *mf*

Vln. II

Elec. (The electronic function remains the same)

11 **3/4** **2/4**

Vln. I *f*

Vln. II

Elec. (The electronic function remains the same)

14 **6/4** **3/4**

Vln. I *f*

Vln. II *ff*

Elec.

17 **6/4** **3/4**

Vln. I *ff*

Vln. II *f*

Elec.

20 **5/4** **6/4**

Vln. I *p sub.* *ff* *p sub.*

Vln. II *ff* *p sub.* *ff* *p sub.*

Elec.

23 **3/4**

Vln. I repeat freely for 6" *p as possible* repeat freely for 6"

Vln. II repeat freely for 6" *p as possible* repeat freely for 6"

Elec.

26 **4/4** **5/4** **4/4**

Vln. I *pp as possible*

Vln. II *pp as possible*

Elec.

ca. 72

29 **6/4** **7/4**

Vln. I *f*

Vln. II *f*

Elec.

(10% chance that a defect, a quick spin, might occur)

31

Vln. I

Vln. II

Elec.



33

4/4

3


3/4

2/4

Vln. I

Vln. II

Elec.



Meno mosso
sul pont.

36

4/4

pp sub.


sul pont.

pp sempre

Vln. I

Vln. II

Elec.



39

3/4

Vln. I

Vln. II

Elec.



ca. 72

43 $\frac{4}{4}$ $\frac{8}{4}$

Vln. I

Vln. II

Elec.

niente

f

45 $\frac{6}{4}$ $\frac{8}{4}$

Vln. I

Vln. II

Elec.

(respond when the electronic sounds reach you)

f

47 $\frac{6}{4}$ $\frac{4}{4}$

Vln. I

Vln. II

Elec.

(respond when the electronic sounds reach you)

3

49 $\frac{2}{4}$ (in tempo) $\frac{3}{4}$

Vln. I

Vln. II

Elec.

(respond)

(in tempo)

3

52 **6/4** **8/4**

Vln. I

Vln. II

Elec.

54 **6/4**

Vln. I

Vln. II

Elec.

56 **7/4** **4/4** **ca. 40**

Vln. I

Vln. II

Elec.

f *sfz*

f

(20% chance that a defect might occur)

59 **3/4** **5/4** **4/4**

Vln. I

Vln. II

Elec.

sfz *sfz* *sfz* *sfz*

63

Vln. I *sfz sfz sfz sfz sfz* — *sfz*

Vln. II *sfz sfz sfz sfz* *sfz*

Elec.

67 D ca. 72

Vln. I *ff* *ffp* — *ff*

Vln. II *ff* *ffp* — *ff*

Elec. (50% chance that a defect might occur)

70 6/4 3/4

Vln. I *ffp* < *ff* *fp* <

Vln. II *ffp* < *ff* *fp* <

Elec.

73 5/4 4/4 3/4

Vln. I *fp* — *ff*

Vln. II *fp* — *ff*

Elec.